

SDS

# SAFETY DATA SHEET

### Product: DESPARAFINADO PNL 30

Revision: 01	Date: 06/13/2024	Pages: 1/8
1 - IDENTIFICATION		
GHS Product identifier:	DESPARAFINADO PNL 30	
Other means of identification:	AC.532	
Recommended use of the chemical:	Intermediate product for the production of light neutral base oil. Raw material for wh Industrial use.	ite oil products.
Specific restrictions on use:	There are not known restrictions on use.	
Supplier`s details:	Acelen Address: ROD BA 523, KM 4, MATARIPE, CEP: 43900-000 - BA - Brasil. Phone number: (71) 3511-8000 / (11) 5225-8900	
Emergency phone number:	EMERGENCIall: 0800 729 2756 / (11) 94759-7282 (Whatsapp) (24h)	

2 - HAZARD IDENTIFICATION		
Classification of the substance or mixture:	Carcinogenicity - Category 1B.	
Classification system adopted:	Globally Harmonized System of Classification and Labeling of Chemicals (GHS), United Nations.	
GHS label elements, including precautionary statements		

Pictograms:



Signal word:	DANGER
Hazard statement(s):	H350 May cause cancer.
Precautionary statement(s):	<b>PREVENTION:</b> P203 Obtain, read and follow all safety instructions before use. P280 Wear protective gloves, protective clothing, eye protection, face protection and hearing protection.
	<b>RESPONSE TO EMERGENCY:</b> P318 IF exposed or concerned, get medical advice.
	STORAGE:
	P405 Store locked up.
	<b>DISPOSITION:</b> P501 Dispose of contents and container in accordance with local regulations.
Other hazards which do not result in classification:	The product has no other hazards.

# 3 - COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCE A complex combination of h

A complex combination of hydrocarbons obtained by removing normal paraffins from a petroleum



SDS

# SAFETY DATA SHEET

#### Product: DESPARAFINADO PNL 30

Revision: 01	Date: 06/13/2024	Pages: 2/8
	fraction by solvent crystallization. It consists predominantly of hydrocarbons hav predominantly in the range of C20 to C50 and produces a base oil with a visco cSt at 40°C.	
Common chemical name:	Distillates (petroleum), solvent-dewaxed heavy paraffinic.	
Common name(s), synonym(s) of the substance:	Heavy paraffinic base lube stock.	
CAS:	64742-65-0	
Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance:	Does not contain components that contribute to the hazard.	

### 4 - FIRST-AID MEASURES

Description of necessary first-aid measures		
Inhalation:	Remove the victim to a well-ventilated area and keep at rest in a position that does not impede breathing. If you feel unwell, contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Take this MSDS.	
Skin:	Wash with plenty of soap and water. In case of skin irritation: Consult a doctor. Take this MSDS.	
Eye:	Rinse carefully with water for several minutes. If you wear contact lenses, remove them if that's easy. If eye irritation persists: consult a physician. Take this MSDS.	
Ingestion:	Wash the victim's mouth with plenty of water. If you feel unwell, contact a TOXICOLOGICAL INFORMATION CENTER or a doctor Take this MSDS.	
Most important symptoms/effects, acute and delayed:	No symptoms and effects are expected after exposure to the material.	
Indication of immediate medical attention and special treatment needed, if necessary:	Avoid contact with the product when helping the victim. If necessary, symptomatic treatment should include, above all, support measures such as correction of hydroelectrolytic and metabolic disturbances, in addition to respiratory assistance. In case of contact with the skin, do not rub the affected area.	

5 - FIRE-FIGHTING MEASURES		
Extinguishing media:	Appropriate: sand, carbon dioxide (CO <sub>2</sub> ), foam, water mist and dry chemical powder. Inappropriate: water jet directly.	
Specific hazards arising from the chemical:	Combustion of the chemical or its packaging can form irritating and toxic gases such as carbon monoxide and carbon dioxide.	
Special protective actions for fire-fighters:	Self-contained breathing apparatus (SCBA) with positive pressure and full protective clothing. Containers and tanks involved in the fire can be cooled with water mist.	

### 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Preventively remove all sources of ignition. Do not smoke. Avoid contact with the product. If necessary, use personal protective equipment as described in section 8.



# SAFETY DATA SHEET

### Product: DESPARAFINADO PNL 30

Revision: 01	Date: 06/13/2024	Pages: 3/8
For emergency responders:	Wear complete PPE with safety glasses, safety gloves, suitable protective of shoes. In case of leakage, where exposure is high, it is recommended to use a protection mask.	
Environmental precautions:	Prevent spilled product from reaching waterways and sewers.	
Methods and materials for containment and cleaning up:	Use natural or spill containment barriers. Absorb the spilled product with sand or and place in a container for later appropriate disposal. For final disposal, pr Section 13 of this MSDS. There is no distinction between the actions of large and small leaks for this produ	oceed according to

#### 7 - HANDLING AND STORAGE Precautions for safe handling

Precautions for safe handling		
Precautions for safe handling:	Handle in a well-ventilated area or with a general local exhaust/ventilation system. Avoid formation of vapors and mists. Avoid contact with incompatible materials. If necessary, use personal protective equipment as described in section 8.	
General hygiene:	Wash hands and face thoroughly after handling and before eating, drinking, smoking or going to the bathroom.	
Conditions for safe storage, including any incompatibilities		
Technical measures for prevention of fire and explosion:	The product is not expected to present a fire or explosion hazard.	
Conditions for safe storage, including any incompatibilities:	Store in a ventilated place, away from sunlight. Keep container closed. Keep away from incompatible materials. Keep stored at room temperature not exceeding 35°C. It is not necessary addition of stabilizers and antioxidants to ensure the durability. Keep away from incompatible materials.	
Packaging compatibilities:	Similar to the original packaging.	
Inadequate packaging	There are not known unsuitable material.	

### 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control pa	rameters
------------	----------

materials:

Occupational exposure limit:	Not established.	
Biological limit:	Not established.	
Other limits and values:	Not established.	
Appropriate engineering controls:	Promote mechanical ventilation and direct exhaust system to the outside environment. These measures help reduce exposure to the product. It is recommended to make emergency showers and eye wash facilities available in the work area. Maintain airborne concentrations of the substance or mixture below stated occupational exposure limits.	
Individual protection measures, such as personal protective equipment (PPE)		
Eye/face protection:	Wide-view glasses with splash protection.	
Skin protection:	Anti-static chemical safety shoes. Protective gloves against chemicals such as PVC.	
Respiratory protection:	Use of respirator with filter against vapors and organic mists is recommended for average exposures above half the TLV-TWA. In cases where exposure exceeds 3 times the TLV-TWA value, use a self-	



SDS

# SAFETY DATA SHEET

### Product: DESPARAFINADO PNL 30

Revision: 01	Date: 06/13/2024	Pages: 4/8
	contained, full facepiece, air-supplied respirator (SCBA) operated in positive pres guidance from the Respiratory Protection Program (PPR), 4th ed. São Paulo: Fun	
Thermal hazards:	It does not present thermal hazards.	

9 - PHYSICAL AND CHE	MICAL PROPERTIES
Aspect:	Liquid.
Color:	Dark brown.
Odour:	Characteristic of mineral oil.
Melting point/freezing point:	-9 °C (15.8 °F) at 101.325 kPa.
Boiling point or initial boiling point and boiling range:	200 to 640 °C (392 to 1184 °F) at 101.325 kPa.
Flammability:	Not flammable.
Lower and upper explosion limit/flammability limit:	Not available.
Flash point:	200 °C (392 °F) - Closed cup.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
pH:	Not applicable.
Kinematic viscosity:	31.5 mm²/s at 40 °C (104 °F).
Solubility(ies):	Immiscible in water.
Partition coeficient n- octanol/water (log value):	Not available.
Vapour pressure:	≤ 0.1 kPa at 20 °C (68 °F).
Relative vapour density:	Not available.
Density and/or relative density:	Absolute density: 0.884 g/cm³ at 20 °C (68 °F).
Particle characteristics:	Not applicable.
Other information:	Not applicable.

#### **10 - STABILITY AND REACTIVITY** \_ ..... .. . . .

Reactivity:	Reactivity is not to be expected under normal conditions of temperature and pressure.
Chemical stability:	Stable product under normal conditions of temperature and pressure.
Possibility of hazardous reactions:	There are not known hazardous reactions with the material.



# SAFETY DATA SHEET

### Product: DESPARAFINADO PNL 30

Revision: 01	Date: 06/13/2024 Page	
Conditions to avoid:	Elevated temperatures. Ignition sources. Contact with incompatible materials.	
Incompatible material:	Oxidizing agents.	
Hazardous decomposition products:	In combustion, it can release irritating and toxic gases such as carbon monoxide an	d dioxide.

11 - TOXICOLOGICAL IN	FORMATION
Acute toxicity:	Product not classified as acute toxic. $LC_{50}$ Vapours (rats, 4h): > 20 mg/L. $LD_{50}$ Oral (rats): > 5000 mg/kg. $LD_{50}$ Dermal (rabbits): > 5000 mg/kg.
Skin corrosion/irritation:	It is not expected to cause skin irritation.
Serious eye damage/irritation:	It is not expected to cause eye irritation.
Respiratory or skin sensitization:	It is not expected to present respiratory or skin sensitization.
Germ cell mutagenicity:	It is not expected to show mutagenicity in germ cells.
Carcinogenicity:	May cause cancer.
Reproductive toxicity:	It is not expected to be reproductively toxic.
STOT - Single exposure:	It is not expected to exhibit specific target organ toxicity by single exposure.
STOT - Repeated exposure:	It is not expected to exhibit specific target organ toxicity on repeated exposure.
Aspiration hazard:	Not classified for aspiration hazard.

12 - ECOLOGICAL INFORMATION	
Toxicity:	It is not expected to be ecotoxic.
Persistence and	It has persistence and is not considered rapidly degradable.
degradability:	Aerobic degradation rate: 31% in 28 days.
Bioaccumulative potential:	Due to the lack of data, bioaccumulative potential in aquatic organisms is not expected.
Mobility in soil:	Not determined.
Other adverse effects:	The release of large amounts of product can cause undesirable environmental effects, such as the reduction of oxygen availability in aquatic environments due to the formation of an oily layer on the surface, coating and consequent suffocation of animals. The release of large amounts can cause undesirable environmental effects, such as the decrease in oxygen availability in aquatic environments due to the formation of an oily layer on the surface, coating and consequent suffocation of animals.

### 13 - DISPOSAL CONSIDERATIONS Disposal methods

Must be disposed of as hazardous waste in compliance with local regulations. The treatment and disposal should be evaluated for each specific product.



# SAFETY DATA SHEET

#### Product: DESPARAFINADO PNL 30

Revision: 01	Date: 06/13/2024	Pages: 6/8

Keep the product remains in its original and properly closed containers. Disposal should be performed as established for the product.

14 - TRANSPORT INFOR	
Road:	<ul><li>UN - United Nations: Model Regulations:</li><li>Recommendations on the Transport of Dangerous Goods.</li></ul>
UN number:	Not classified as hazardous for the road transportation.
Environmental hazards:	The product is not considered dangerous for the environment for land transport.
Railway regulations:	COTIF - Convention concerning International Carriage by Rail: • Appendix C: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail.
UN number:	Not classified as dangerous for rail transport.
Environmental hazards:	The product is not considered dangerous for the environment in rail transport.
Sea:	<ul><li>IMO - International Maritime Organization:</li><li>IMDG Code - International Maritime Dangerous Goods Code.</li></ul>
UN number:	Not classified as hazardous for water transportation.
Environmental hazards:	It's not considered a marine pollutant for transportation.
Air:	IATA - International Air Transport Association: • DGR - Dangerous Goods Regulation.
UN number:	Not classified as dangerous for air transport.
Environmental hazards:	The product is not considered dangerous for the environment for air transport.
Special precautions for user:	Not applicable.
Maritime transport in bulk according to IMO instruments:	<ul> <li>Consult regulations:</li> <li>International Maritime Organization: MARPOL: Articles, protocols, annexes, unified interpretations of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 relating thereto, consolidated edition. IMO, London, 2006;         <ul> <li>International Maritime Organization: IBC code: International code for the construction and equipment of shipping carrying dangerous chemicals in bulk: With Standards and guidelines relevant to the code. IMO, London, 2007.</li> </ul> </li> </ul>

### **15 - REGULATORY INFORMATION**

Federal Decree No. 10,088, of November 5, 2019. Regulatory Standard No. 26 (Safety Signs), from the Ministry of Labor and Social Security. ABNT-NBR 14725 Standard.

### **16 - OTHER INFORMATION**

This MSDS was prepared based on current knowledge about the proper handling of the product and under normal conditions of use, according to the application specified on the packaging. Any other form of use of the product that involves its combination with other materials, in addition to forms of use other than those indicated, are the responsibility of the user. It is warned that the handling of any chemical substance requires prior knowledge of its dangers by the user. In the workplace, it is up to the company using the product to provide training for its employees and contractors regarding the possible risks arising from exposure to the



# SAFETY DATA SHEET

#### Product: DESPARAFINADO PNL 30

Revision: 01

Date: 06/13/2024

chemical product.

Change control:

Version	Manufacture date	Changes
01	04/19/2023	Elaboration

#### Abbreviations:

ACGIH - American Conference of Governmental Industrial Hygienists;

CAS - Chemical Abstracts Service;

EC - European Community;

EEC - European Economic Community;

IARC - International Agency for Research on Cancer;

LC<sub>50</sub> - Lethal Concentration 50%;

LD<sub>50</sub> - Lethal Dose 50%;

NIOSH - National Institute for Occupational Safety and Health;

TLV - Threshold Limit Value;

TWA - Time Weighted Average.

### Bibliographic references:

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIALS HYGIENISTS. TLVs® and BEIs®: Based on the Documentation of the Threshold Limit Values (TLVs®) for Chemical Substances and Physical Agents & Biological Exposure Indices (BEIs®). Cincinnati-USA, 2023.

ECHA - EUROPEAN CHEMICAL AGENCY. Available at: < http://echa.europa.eu/web/guest >. Access in: Apr. 2023.

GESTIS - SUBSTANCE DATABASE. Available at: < http://gestisen.itrust.de/nxt/gateway.dll/gestis\_en/000000.xml?f=templates\$fn=default.htm\$3.0 >. Access in: Apr. 2023.

GHS - GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS. 10th rev. ed. New York and Geneva: United Nations, 2023.

HSDB - HAZARDOUS SUBSTANCES DATA BANK. Available at: http://pubchem.ncbi.nlm.nih.gov/. Access in: Apr. 2023.

IARC - INTERNATIONAL AGENCY FOR RESEARCH ON CANCER. Available at: http://monographs.iarc.fr/ENG/Classification/index.php. Access in: Apr. 2023.

IPCS - INTERNATIONAL PROGRAMME ON CHEMICAL SAFETY - INCHEM. Available at: http://www.inchem.org/. Access in: Apr. 2023.

IUCLID - INTERNATIONAL UNIFORM CHEMICAL INFORMATION DATABASE. [S.1.]: European chemical Bureau. Available at: http://ecb.jrc.ec.europa.eu. Access in: Apr. 2023.

NIOSH - NATIONAL INSTITUTE OF OCCUPATIONAL AND SAFETY. International Chemical Safety Cards. Available at: http://www.cdc.gov/niosh/. Access in: Apr. 2023.

REACH - REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of December 2008 amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. Available at: < http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:353:0001:1355:en:PDF >. Access in: Apr. 2023.

Pages: 7/8



SDS

In accordance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS)- Chapter 1.5 and Annex 4

### SAFETY DATA SHEET

Product: DESPARAFINADO PNL 30

Revision: 01

Date: 06/13/2024

Pages: 8/8

TOXNET - TOXICOLOGY DATA NETWORKING. ChemIDplus Lite. Available at: http://chem.sis.nlm.nih.gov/. Access in: Apr. 2023.